


Additional Data Sheet

Configuration

Lowest temperature applied:	-20 °C
-----------------------------	--------

ATP registration numbers of vehicle

Manufacturer brand	Krone
Vehicle identification no.	090194
ATP type approval no.	3733T
Floor material	Al/ Wood 0,125 m
ATP type approval no. of refr. unit	3426MT- Rev.1,
Brand Host Unit	Vector HE 19 MT
Serial number of Host Unit	HD346009
Brand additional evaporator	MHS 1100
Serial number of additional evaporator	ED405162



Data of overall body	Internal dimensions			K value of outer body
	L	W	H	
	13,310 m	2,470m	2,700 m	
	External dimensions			
	13,448m	2,600m	2,915m	

A. Input data


A1. Data of insulated body

Data of internal bulkheads	Movable or fixed	Thickness	K value [W/m ² .°C]
Transversal bulkhead (1→2)	movable	43,0 mm	3,2

Dimensions / Use of Compartments	Internal length			Fixed temperature in each comp.?	Compartment temperature	Dry freight use?	Lowest class temp. permitted in each comp.?	Lowest permitted temp. per comp.
	Minimal length	Maximal length						
Compartment 1	7,130 m	10,970 m		No		Yes		
Compartment 2	2,400 m	6,240 m				Yes	Yes	

A2. Data of multitemp refrigeration unit

Cooling capacities at:	-20 °C
Nominal refr. cap. host unit	9226 W
Individual refr. cap. evap. 1	9268 W
Individual refr. cap. evap. 2	6457 W



* based on max. lengt of Compartment 2
** Specified number of air circulation (Air changes) of the compartment volume per hour

Nom de l'autorité compétente:



Adresse:
5 avenue des prés
CS20029
94266 - Fresnes
France

+33 (0) 1 49 84 84 84
contact@cemafruid.fr

Le / on : 2025/11/20

L'autorité compétente / The competent authority
Cemafruid SAS
Responsable ATP / Responsible for the ATP

Le Président de CEMAROID SAS

TECNEA SAS représentée par son Président Géraud CAVALIER

Print date: 12.03.2024
Page: 1 of 1

DC-02876609-00961347-1465836ATPD0625039870