


# Additional Data Sheet

## Configuration

Lowest temperature applied:	-20 °C
-----------------------------	--------

### ATP registration numbers of vehicle

Manufacturer brand	Krone
Vehicle identification no.	100777
ATP type approval no.	3797T
Floor material	Al/ Wood 0,125 m
ATP type approval no. of refr. unit	M1172
Brand Host Unit	Vector HE 19 MT
Serial number of Host Unit	HD603063
Brand additional evaporator	MHS 1100
Serial number of additional evaporator	ED603139



Data of overall body	Internal dimensions				K value of outer body
	L	W	H		
	13,410m	2,460m	2,650 m		
	External dimensions				
	13,547m	2,600m	2,865m		

## A. Input data


### A1. Data of insulated body

Data of internal bulkheads	Movable or fixed	Thickness	K value [W/m2.°C]
Transversal bulkhead (1→2)	movable	43,0 mm	3,2

Dimensions / Use of Compartments	Internal length		Fixed temperature in each comp.?	Compartment temperature	Dry freight use?	Lowest class temp. permitted in each comp.?	Lowest permitted temp. per comp.
	Minimal length	Maximal length					
Compartment 1	5,240 m	10,970 m	No		Yes	Yes	
Compartment 2	2,400 m	8,130 m					

### A2. Data of multitemp refrigeration unit

Cooling capacities at:	-20 °C
Nominal refr. cap. host unit	8846 W
Individual refr. cap. evap. 1	9486 W
Individual refr. cap. evap. 2	6481 W



Le / on : 2026/04/14



Adresse:  
5 avenue des prés  
CS20029  
94266 - Fresnes  
France

+33 (0) 1 49 84 84 84  
contact@cemafröid.fr

Cemafröid SAS  
Responsable ATP / Responsable for the ATP

Le Président de CEMAFRÖID SAS

TECNEA SAS représentée par son Président Gérald CAVALIER

DC-02210675-00977595-1505350ATPD0626012365